


# NEO-SERIES

compatible to:

*NEOSS Implant System*<sup>®</sup>  
*NEOSS*<sup>™</sup>



**PLATFORMS:**



*3,5 – 5,5 mm*



## TITANIUM BASE

incl. screw

NEO 80355500



## SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

NEO 9.S3D3.555



## NT-MILL LAB ANALOG

NEO 5.La3.555




## IMPLANT PICK-UP

for open-tray with integrated screw

NEO TR-00013.5



## ABUTMENT SCREW



Overview of all screwdrivers on pages 344 and 345

NEO 603555



## DIM ANALOG®

NEO 5.DIM.355













## SLEEVE (belongs to DIM ANALOG)

plaster model

DIM 5.XSL.A20





<p><b>NT-PREFORM®</b> incl. coloured milling screw</p>	<p>NEO 10.Mi3.555.05</p>	
<p><b>SCAN BODY 3D-GUIDE®</b> for intra + extra oral scanning</p>	<p>NEO 9.S3D3.555</p>	
<p><b>NT-MILL LAB ANALOG</b> for NT-Preform®</p>	<p>NEO 5.La3.555</p>	
<p><b>COLOURED MILLING SCREW</b> for NT-Preform®</p>	<p>NEO 6.Sc3.555</p>	
<p><b>ABUTMENT SCREW</b></p>  <p>Overview of all screwdrivers on pages 344 and 345</p>	<p>NEO 603555</p>	
<p><b>DIM ANALOG®</b></p>	<p>NEO 5.DIM.355</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®) plaster model</p>	<p>DIM 5.XSL.A20</p>	
<p><b>ABUTMENT GRIP</b> for NT-Holder fixture</p>	<p>W 12.200.000</p>	
<p><b>I-BUTMENT</b> individual milled by NT-iDent</p> <p>Not available in the USA</p>	<p>TZ15.TiO.Si1</p>	

NEO  
SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.



### 2-CONNECT®-ABUTMENT SET (STRAIGHT)

incl. 2-CONnect®-Coping and Coping-screw

GH 0,5 mm NEO-2CON 8035551S

GH 2,5 mm NEO-2CON 8035552S



### 2-CONNECT®-ABUTMENT

Male Part

GH 0,5 mm NEO-2CON 8035551M

GH 2,5 mm NEO-2CON 8035552M



### 2-CONNECT®-SCAN BODY 3D-GUIDE®

for intra + extra oral scanning

KS 61 = 1,8 mm

2CON 9.S3D1.800



### 2-CONNECT®-COPING

Female Part

2CON F-U



### COPING-SCREW

Recommended tightening torques: 25 Ncm

KS 61



### 2-CONNECT®-DIM ANALOG®

KS 61 = 1,8 mm

2CON 5.DIM.180



### SLEEVE (belongs to DIM ANALOG®)

plaster model

DIM 5.XSL.A30



### 2-CONNECT®-IMPLANT PICK-UP

integrated screw

KS 61 = 1,8 mm

2CON TR-00021.8



### 2-CONNECT®-LAB ANALOG

KS 61 = 1,8 mm

2CON 5.La1.800





<p><b>2-CONNECT®-ABUTMENT SET (ANGLED)</b>                  incl. 2-CONnect®-Coping, mounting aid,                  Coping-screw and Male Part Screw, angled 20°,                  Gingiva Height 2,5 mm</p>	<p>NEO-2CON 80355A3S</p>	
<p><b>2-CONNECT®-ABUTMENT</b>                  angled 20°, Gingiva Height 2,5 mm                  Male Part incl. screw,                  mounting aid</p>	<p>NEO-2CON 80355A3M</p>	
<p><b>2-CONNECT®-SCAN BODY 3D-GUIDE®</b>                  for intra + extra oral scanning                  KS 62 = 1,6 mm</p>	<p>2CON 9.S3D1.600</p>	
<p><b>2-CONNECT®-COPING</b>                  Female Part</p>	<p>2CON F-U</p>	
<p><b>COPING-SCREW</b>                  Recommended tightening torques: 15 Ncm</p>	<p>KS 62</p>	
<p><b>MALE PART SCREW</b>                  for angled 20° 2-CONnect® Abutment                  Recommended tightening torques: 20 Ncm</p>	<p>NEO 6.Ms3.555</p>	
<p><b>2-CONNECT®-DIM ANALOG®</b>                  KS 62 = 1,6 mm</p>	<p>2CON 5.DIM.160</p>	
<p><b>SLEEVE</b> (belongs to DIM ANALOG®)                  plaster model</p>	<p>DIM 5.XSL.A30</p>	
<p><b>2-CONNECT®-IMPLANT PICK-UP</b>                  integrated screw                  KS 62 = 1,6 mm</p>	<p>2CON TR-00031.6</p>	
<p><b>2-CONNECT®-LAB ANALOG</b>                  KS 62 = 1,6 mm</p>	<p>2CON 5.La1.600</p>	

NEO  
SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.