

F-SERIES

compatible to: Nobel Biocare™ / Nobel Active™



PLATFORM

3,5 mm NP

4,3 / 5,0 mm RP

TITANIUM BASE

for individual milled
Zirconium Abutment
incl. screw
Titanium Grade 5 ELI



F 800

F 810



SCAN BODY 3D-GUIDE®

for intra + extra
oral scanning



F 9.S3D3.500

F 9.S3D4.350



LAB ANALOG

Stainless Steel



F 50

F 51



IMPLANT PICK-UP

for open-tray with
integrated screw
Coming soon



F TR-NP013.5

F TR-RP024.3

ABUTMENT SCREW

Recommended tightening
torques: NP = 25 Ncm
RP = 35 Ncm
Titanium Grade 5 ELI



F 60

F 61



Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.
Products indicated with ★ are available in the USA 

F-SERIES

compatible to: Nobel Biocare™ / Nobel Active™



PLATFORM

3,5 mm NP

4,3 / 5,0 mm RP

2-CONNECT®-ABUTMENT SET

incl. 2-CONnect®-Coping
and Coping-screw
Titanium Grade 5 ELI



Gingiva Height	0,5 mm	F 800 S	F 810 S	★
	2,5 mm	F-2CON 8035002S	F-2CON 8043002S	★

2-CONNECT®-ABUTMENT

Recommended tightening
torques: NP = 25 Ncm
RP = 35 Ncm
Titanium Grade 5 ELI



M (Male Part)

Gingiva Height	0,5 mm	F 800 M	F 810 M	★
	2,5 mm	F-2CON 8035002M	F-2CON 8043002M	★

2-CONNECT®-COPING

Titanium Grade 5 ELI



F (Female Part)	2CON F-U	2CON F-U	★
------------------------	----------	----------	---

COPING-SCREW

Recommended tightening
torques:
Titanium Grade 5 ELI



KS 61	KS 61	★
-------	-------	---

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.
Products indicated with ★ are available in the USA

F-SERIES

compatible to: Nobel Biocare™ / Nobel Active™



PLATFORM

3,5 mm NP

4,3 / 5,0 mm RP

2-CONNECT®-ABUTMENT SET

incl. 2-CONnect®-Coping,
Coping-screw & Male Part Screw
angled 20° Gingiva Height 2,5 mm
Titanium Grade 5 ELI

Coming soon



F-2CON 80350A3S

F-2CON 80430A3S

2-CONNECT®-ABUTMENT

angled 20°
Gingiva Height 2,5 mm
Titanium Grade 5 ELI
M (Male Part)

Coming soon



F-2CON 80350A3M

F-2CON 80430A3M

2-CONNECT®-COPING

Titanium Grade 5 ELI

F (Female Part)



2CON F-U

2CON F-U

★

COPING-SCREW

Recommended tightening
torques: 15 Ncm
Titanium Grade 5 ELI

Coming soon



KS 62

KS 62

MALE PART SCREW

for angled 20° 2-CONnect®
Abutment | Recommended
tightening torques: 20 Ncm
Titanium Grade 5 ELI

Coming soon



F 6.Ms3.500

F 6.Ms4.350

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.
Products indicated with ★ are available in the USA

F-SERIES

compatible to: Nobel Biocare™ / Nobel Active™



PLATFORM

3,5 mm NP

4,3 / 5,0 mm RP

2-CONNECT®- IMPLANT PICK-UP

integrated screw



● Straight KS 61 = \varnothing 1,8 mm

2CON TR-00021.8

2CON TR-00021.8

● Angled KS 62 = \varnothing 1,6 mm

2CON TR-00031.6

2CON TR-00031.6

2-CONNECT®- SCAN BODY 3D-GUIDE®

for intra + extra
oral scanning



● Straight KS 61 = \varnothing 1,8 mm

2CON 9.S3D1.800

2CON 9.S3D1.800

★

● Angled KS 62 = \varnothing 1,6 mm

2CON 9.S3D1.600

2CON 9.S3D1.600

★

2-CONNECT®- LAB ANALOG

Stainless Steel



● Straight KS 61 = \varnothing 1,8 mm

2CON 5.La1.800

2CON 5.La1.800

★

● Angled KS 62 = \varnothing 1,6 mm

2CON 5.La1.600

2CON 5.La1.600

★

2-CONNECT®- DIM ANALOG



● Straight KS 61 = \varnothing 1,8 mm

2CON 5.DIM.180

2CON 5.DIM.180

★

● Angled KS 62 = \varnothing 1,6 mm

2CON 5.DIM.160

2CON 5.DIM.160

★

SLEEVE

plaster model
Stainless Steel



DIM 5.XSL.A30

DIM 5.XSL.A30

★

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.
Products indicated with ★ are available in the USA 

F-SERIES

compatible to: Nobel Biocare™ / Nobel Active™

I-SERIES

compatible to Biomet 3i® /
Osseotite® External Hex®



PLATFORM

3,5 mm NP

4,3 / 5,0 mm RP

4,1 mm

NT-PREFORM®

incl. coloured milling screw
Titanium Grade 5 ELI



Gingiva Height

1,3 mm

0,5 mm

F 10.Mi3.500

F 10.Mi4.350

I 10.Mi4.100

F 10.Mi3.500.05

F 10.Mi4.350.05

I 10.Mi4.100.05

NT-MILL LAB ANALOG

for nt-Preform®
Stainless Steel



F 5.La3.500

F 5.La4.350

I 5.La4.100

ABUTMENT GRIP

for nt-Holder fixture
Stainless Steel



W 12.100.000

W 12.200.000

W 12.200.000

SCAN BODY 3D-GUIDE®

for intra + extra
oral scanning



F 9.S3D3.500

F 9.S3D4.350

I 9.S3D4.150

COLOURED MILLING SCREW

for nt-Preform®
Recommended tightening
torques 10 Ncm



F 6.Sc3.500

F 6.Sc4.350

I 6.Sc4.100

ABUTMENT SCREW

Recommended tightening
torques F-Series: NP = 25 Ncm
F-Series: RP = 35 Ncm
I-Series: 35 Ncm
Titanium Grade 5 ELI



F 60

F 61

I 61

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.
Products indicated with ★ are available in the USA

F-SERIES DIM ANALOG

compatible to: Nobel Biocare™ / Nobel Active™



PLATFORM

3,5 mm NP

4,3 / 5,0 mm RP

DIM ANALOG



F 5.DIM.350

F 5.DIM.435

★

SLEEVE

for plaster model
Stainless Steel



DIM 5.XSL.A10

DIM 5.XSL.A20

★

Notice: Products indicated with ® and ™ are registered brand names of the respective manufactures.
Products indicated with ★ are available in the USA 