

H-SERIES



compatible to:
Biomet 3i® Certain®




3,4 mm NP



5,0 mm WP



4,1 mm RP





3,4 mm NP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



Titanium Base (engaged)
incl. Abutmentscrew

H 800



Titanium Base NX (non engaged)
incl. Abutmentscrew

GH 0,3 mm H 82340003

GH 1,3 mm H 82340013



Scanbody 3D-Guide®
for intra + extra oral scanning

H 9.S3D3.400



Lab Analog

H 50



Implant Pick.Up
for open-tray with integrated screw

H TR-NP013.4



Abutment Screw
Recommended tightening torques 20 Ncm

H 60



DIM-ANALOG®

H 5.DIM.340



Sleeve (für DIM-ANALOG®)
for plaster model

DIM 5.XSL.A10

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**










WWW.NT.DENTAL



3,4 mm NP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



	nt-Preform® incl. final Abutment Screw	H 10.Mi3.400.05
	Scanbody 3D-Guide® for intra + extra oral scanning	H 9.S3D3.400
	nt-Mill Lab Analog for nt-Preform®	H 5.La3.400
	colored milling screw for nt-Preform®	H 6.Sc3.450
	Abutment Screw Recommended tightening torques 20 Ncm	H 60
	DIM-ANALOG®	H 5.DIM.340
	Sleeve (für DIM-ANALOG®) for plaster model	DIM 5.XSL.A10
	Abutment Grip for nt-Preform® Holder	W12.100.00
	Customized Abutment milled by NT-iDent / Not available in the USA	TZ15.TiO.Si1

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



3,4 mm NP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm H 800 S

GH 2,5 mm H-2CON 8034002S



2-CONnect®-Abutment

Male Part, Recommended tightening torques 20 Ncm

GH 0,5 mm H 800 M

GH 2,5 mm H-2CON 8034002M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.400



LOcON COPING

For more information, see our LOcON brochure

LOC 852001



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 15 Ncm

KS 60



2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 60

2CON 5.DIM.140



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00011.4



2-CONnect®-lab Analog

for straight Male Parts

2CON 5.La1.400

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



3,4 mm NP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (angled)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw,
incl. Male Part screw, mounting aid, angled 20°

GH 2,5 mm H-2CON 80340A3S



2-CONnect®-Abutment (angled)

incl. 2-CONnect® Male Part screw, mounting aid, angled 20°

GH 2,5 mm H-2CON 80340A3M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.600



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 15 Ncm

KS 62



Male Part Screw

for angled 2-CONnect® Abutment, Recommended tightening torques 20
Ncm

H 6.Ms3.450



2-CONnect®-DIM-ANALOG®

for angled 2-CONnect® Abutment Male Parts

2CON 5.DIM160



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00031.6



2-CONnect®-lab Analog

for angled 2-CONnect® Abutment Male Parts

2CON 5.La1.600

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

MADE IN
GERMANY

WWW.NT.DENTAL



4,1 mm RP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



Titanium Base (engaged)
incl. Abutmentscrew

H 810



Titanium Base NX (non engaged)
incl. Abutmentscrew

GH 0,3 mm H 82410003

GH 1,3 mm H 82410013



Scanbody 3D-Guide®
for intra + extra oral scanning

H 9.S3D4.150



Lab Analog

H 51



Implant Pick.Up
for open-tray with integrated screw

H TR-RP024.1



Abutment Screw
Recommended tightening torques 20 Ncm

H 60



DIM-ANALOG®

H 5.DIM.410



Sleeve (für DIM-ANALOG®)
for plaster model

DIM 5.XSL.A20

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



4,1 mm RP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



nt-Preform®
incl. final Abutment Screw

GH 0,5 mm H 10.Mi4.100.05



Scanbody 3D-Guide®
for intra + extra oral scanning

H 9.S3D4.150



nt-Mill Lab Analog
for nt-Preform®

H 5.La4.100



colored milling screw
for nt-Preform®

H 6.Sc3.450



Abutment Screw
Recommended tightening torques 20 Ncm

H 60



DIM-ANALOG®

H 5.DIM.410



Sleeve (für DIM-ANALOG®)
for plaster model

DIM 5.XSL.A20



Abutment Grip
for nt-Preform® Holder

W12.200.00



Customized Abutment
milled by NT-iDent / Not available in the USA

TZ15.TiO.Si1

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



4,1 mm RP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm H 810 S

GH 2,5 mm H-2CON 8041002S



2-CONnect®-Abutment

Male Part, Recommended tightening torques 20 Ncm

GH 0,5 mm H 810 M

GH 2,5 mm H-2CON 8041002M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.400



LOcON COPING

For more information, see our LOcON brochure

LOC 852001



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 15 Ncm

KS 60



2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 60

2CON 5.DIM.140



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00011.4



2-CONnect®-lab Analog

for straight Male Parts

2CON 5.La1.400

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 MADE IN
GERMANY

WWW.NT.DENTAL



4,1 mm RP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (angled)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw,
incl. Male Part screw, mounting aid, angled 20°

GH 2,5 mm H-2CON 80410A3S



2-CONnect®-Abutment (angled)

incl. 2-CONnect® Male Part screw, mounting aid, angled 20°

GH 2,5 mm H-2CON 80410A3M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.600



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 15 Ncm

KS 62



Male Part Screw

for angled 2-CONnect® Abutment, Recommended tightening torques 20
Ncm

H 6.Ms3.450



2-CONnect®-DIM-ANALOG®

for angled 2-CONnect® Abutment Male Parts

2CON 5.DIM160



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00031.6



2-CONnect®-lab Analog

for angled 2-CONnect® Abutment Male Parts

2CON 5.La1.600

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

MADE IN
GERMANY

WWW.NT.DENTAL



5,0 mm WP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



Titanium Base (engaged)
incl. Abutmentscrew

H 820



Titanium Base NX (non engaged)
incl. Abutmentscrew

GH 0,3 mm H 82500003

GH 1,3 mm H 82500013



Scanbody 3D-Guide®
for intra + extra oral scanning

H 9.S3D4.150



Lab Analog

H 52



Implant Pick.Up
for open-tray with integrated screw

H TR-WP035.0



Abutment Screw
Recommended tightening torques 20 Ncm

H 60



DIM-ANALOG®

H 5.DIM.500



Sleeve (für DIM-ANALOG®)
for plaster model

DIM 5.XSL.A30

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**










WWW.NT.DENTAL



5,0 mm WP
Biomet 3i® Certain®

ALL DETAILS
ONLINE



	nt-Preform® incl. final Abutment Screw	GH 0,5 mm H 10.Mi5.000.05
	Scanbody 3D-Guide® for intra + extra oral scanning	H 9.S3D4.150
	nt-Mill Lab Analog for nt-Preform®	H 5.La5.000
	colored milling screw for nt-Preform®	H 6.Sc3.450
	Abutment Screw Recommended tightening torques: 20 Ncm	H 60
	DIM-ANALOG®	H 5.DIM.500
	Sleeve (für DIM-ANALOG®) for plaster model	DIM 5.XSL.A30
	Abutment Grip for nt-Preform® Holder	W12.300.00
	Customized Abutment milled by NT-iDent / Not available in the USA	TZ15.TiO.Si1

H-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL

EUROPE

NT-Trading GmbH & Co. KG

G.-Braun-Str. 18
76187 Karlsruhe
Germany

E info@nt.dental

W www.nt.dental

NORTH AMERICA

NT-US, Inc.

132 Pepes Farm Road,
Unit 3
Milford, CT 06460
USA

E info@nt.dental (general information)

E order-us@nt.dental (for orders)

W www.nt.dental

2023_NT_Serienbroschüre_H_EN_REV001