


# N-SERIES



compatible to:  
Straumann Synocta®




3,5 mm NN




6,5 mm WN



4,8 mm RN












3,5 mm NN  
Straumann Synocta®

ALL DETAILS  
ONLINE




	<b>Titanium Base (engaged)</b> incl. Abutmentscrew	N 800
	<b>Scanbody 3D-Guide®</b> for intra + extra oral scanning	N 9.S3D3.500
	<b>Lab Analog</b>	N 50
	<b>Implant Pick.Up</b> for open-tray with integrated screw	N TR-NN013.5
	<b>Abutment Screw</b> Recommended tightening torques 35 Ncm	N 60
	<b>DIM-ANALOG®</b>	N 5.DIM.350
	<b>Sleeve (für DIM-ANALOG®)</b> for plaster model	DIM 5.XSLA10

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 **MADE IN  
GERMANY**










**WWW.NT.DENTAL**



3,5 mm NN  
Straumann Synocta®

ALL DETAILS  
ONLINE




	<b>nt-Preform®</b> incl. final Abutment Screw	N 10.Mi3.500.05
	<b>Scanbody 3D-Guide®</b> for intra + extra oral scanning	N 9.S3D3.500
	<b>nt-Mill Lab Analog</b> for nt-Preform®	N 5.La3.500
	<b>colored milling screw</b> for nt-Preform®	N 6.Sc3.500
	<b>Abutment Screw</b> Recommended tightening torques 35 Ncm	N 60
	<b>DIM-ANALOG®</b>	N 5.DIM.350
	<b>Sleeve (für DIM-ANALOG®)</b> for plaster model	DIM 5.XSLA10
	<b>Abutment Grip</b> for nt-Preform® Holder	W12.100.00
	<b>Customized Abutment</b> milled by NT-iDent / Not available in the USA	TZ15.TiO.Si1

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 **MADE IN  
GERMANY**









**WWW.NT.DENTAL**



4,8 mm RN  
Straumann Synocta®

ALL DETAILS  
ONLINE




	<b>Titanium Base (engaged)</b> incl. Abutmentscrew	N 810
	<b>Titanium Base NX (non engaged)</b> incl. Abutmentscrew	GH 0,2 mm N 82480002
	<b>Scanbody 3D-Guide®</b> for intra + extra oral scanning	N 9.S3D4.800
	<b>Lab Analog</b>	N 51
	<b>Implant Pick.Up</b> for open-tray with integrated screw	N TR-RN024.8
	<b>Abutment Screw</b> Recommended tightening torques 35 Ncm	N 62
	<b>DIM-ANALOG®</b>	N 5.DIM.480
	<b>Sleeve (für DIM-ANALOG®)</b> for plaster model	DIM 5.XSL.A20

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 **MADE IN  
GERMANY**










**WWW.NT.DENTAL**



4,8 mm RN  
Straumann Synocta®

ALL DETAILS  
ONLINE




	<b>nt-Preform®</b> incl. final Abutment Screw	GH 0,5 mm N 10.Mi4.805.05
	<b>Scanbody 3D-Guide®</b> for intra + extra oral scanning	N 9.S3D4.800
	<b>nt-Mill Lab Analog</b> for nt-Preform®	N 5.La4.800
	<b>colored milling screw</b> for nt-Preform®	N 6.Sc4.865
	<b>Abutment Screw</b> Recommended tightening torques 35 Ncm	N 62
	<b>DIM-ANALOG®</b>	N 5.DIM.480
	<b>Sleeve (für DIM-ANALOG®)</b> for plaster model	DIM 5.XSLA20
	<b>Abutment Grip</b> for nt-Preform® Holder	W12.200.00
	<b>Customized Abutment</b> milled by NT-iDent / Not available in the USA	TZ15.TiO.Si1

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 **MADE IN  
GERMANY**

**WWW.NT.DENTAL**



4,8 mm RN  
Straumann Synocta®

ALL DETAILS  
ONLINE



### 2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm N 810 S

GH 2,5 mm N-2CON 8048002S



### 2-CONnect®-Abutment

Male Part, Recommended tightening torques 35 Ncm

GH 0,5 mm N 810 M

GH 2,5 mm N-2CON 8048002M



### 2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.800



### LOcON COPING

For more information, see our LOcON brochure

LOC 852001



### 2-CONnect®-Coping

Female Part

2CON F-U



### 2-CONnect®-Coping-Screw

Recommended tightening torques 30 Ncm

KS 61



### 2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 61

2CON 5.DIM.180



### Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



### 2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00021.8



### 2-CONnect®-lab Analog

for straight Male Parts


2CON 5.La1.800

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 **MADE IN  
GERMANY**

**WWW.NT.DENTAL**



4,8 mm RN  
Straumann Synocta®

ALL DETAILS  
ONLINE



### 2-CONnect®-Abutment Set (angled)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw,  
incl. Male Part screw, mounting aid, angled 20°

GH 2,5 mm N-2CON 80480A3S



### 2-CONnect®-Abutment (angled)

incl. 2-CONnect® Male Part screw, mounting aid, angled 20°

GH 2,5 mm N-2CON 80480A3M



### 2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.600



### 2-CONnect®-Coping

Female Part

2CON F-U



### 2-CONnect®-Coping-Screw

Recommended tightening torques 15 Ncm

KS 62



### Male Part Screw

for angled 2-CONnect® Abutment, Recommended tightening torques 20  
Ncm

N 6.Ms4.865



### 2-CONnect®-DIM-ANALOG®

for angled 2-CONnect® Abutment Male Parts

2CON 5.DIM160



### Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



### 2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00031.6



### 2-CONnect®-lab Analog

for angled 2-CONnect® Abutment Male Parts


2CON 5.La1.600

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 MADE IN  
GERMANY








[WWW.NT.DENTAL](http://WWW.NT.DENTAL)



6,5 mm WN  
Straumann Synocta®

ALL DETAILS  
ONLINE



	<b>Titanium Base (engaged)</b> incl. Abutmentscrew	N 820
	<b>Titanium Base NX (non engaged)</b> incl. Abutmentscrew	GH 0,3 mm N 82650003
	<b>Scanbody 3D-Guide®</b> for intra + extra oral scanning	N 9.S3D6.500
	<b>Lab Analog</b>	N 52
	<b>Abutment Screw</b> Recommended tightening torques 35 Ncm	N 62
	<b>DIM-ANALOG®</b>	N 5.DIM.650
	<b>Sleeve (für DIM-ANALOG®)</b> for plaster model	DIM 5.XSLA30


**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 **MADE IN  
GERMANY**

**WWW.NT.DENTAL**














6,5 mm WN  
Straumann Synocta®

ALL DETAILS  
ONLINE




	<b>nt-Preform®</b> incl. final Abutment Screw	GH 0,5 mm N 10.Mi6.505.05
	<b>Scanbody 3D-Guide®</b> for intra + extra oral scanning	N 9.S3D6.500
	<b>nt-Mill Lab Analog</b> for nt-Preform®	N 5.La6.500
	<b>colored milling screw</b> for nt-Preform®	N 6.Sc4.865
	<b>Abutment Screw</b> Recommended tightening torques: 35 Ncm	N 62
	<b>DIM-ANALOG®</b>	N 5.DIM.650
	<b>Sleeve (für DIM-ANALOG®)</b> for plaster model	DIM 5.XSLA30
	<b>Abutment Grip</b> for nt-Preform® Holder	W12.300.00
	<b>Customized Abutment</b> milled by NT-iDent / Not available in the USA	TZ15.TiO.Si1

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 **MADE IN  
GERMANY**

**WWW.NT.DENTAL**



6,5 mm WN  
Straumann Synocta®

ALL DETAILS  
ONLINE



### 2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm N 820 S

GH 2,5 mm N-2CON 8065002S



### 2-CONnect®-Abutment

Male Part, Recommended tightening torques 30 Ncm

GH 0,5 mm N 820 M

GH 2,5 mm N-2CON 8065002M



### 2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.800



### LOcON COPING

For more information, see our LOcON brochure

LOC 852001



### 2-CONnect®-Coping

Female Part

2CON F-U



### 2-CONnect®-Coping-Screw

Recommended tightening torques 30Ncm

KS 61



### 2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 61

GH 0,5 mm 2CON 5.DIM.650.05

GH 2,5 mm 2CON 5.DIM.650



### Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



### 2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00021.8



### 2-CONnect®-lab Analog

for straight Male Parts


2CON 5.La1.800

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 MADE IN  
GERMANY











[WWW.NT.DENTAL](http://WWW.NT.DENTAL)



6,5 mm WN  
Straumann Synocta®

ALL DETAILS  
ONLINE



	<b>2-CONnect®-Abutment Set (angled)</b> incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw, incl. Male Part screw, mounting aid, angled 20°	GH 2,5 mm	N-2CON 80650A3S
	<b>2-CONnect®-Abutment (angled)</b> incl. 2-CONnect® Male Part screw, mounting aid, angled 20°	GH 2,5 mm	N-2CON 80650A3M
	<b>2-CONnect® Scanbody 3D-Guide®</b> for intra + extra oral scanning		2CON 9.S3D1.600
	<b>2-CONnect®-Coping</b> Female Part		2CON F-U
	<b>2-CONnect®-Coping-Screw</b> Recommended tightening torques 15 Ncm		KS 62
	<b>Male Part Screw</b> for angled 2-CONnect® Abutment, Recommended tightening torques 20 Ncm		N 6.Ms4.865
	<b>2-CONnect®-DIM-ANALOG®</b> for angled 2-CONnect® Abutment Male Parts		2CON 5.DIM160
	<b>Sleeve (for DIM-ANALOG®)</b> for plaster model		DIM 5.XSL.A30
	<b>2-CONnect®-Implant pick-up</b> for open-tray with integrated screw		2CON TR-00031.6
	<b>2-CONnect®-lab Analog</b> for angled 2-CONnect® Abutment Male Parts		2CON 5.La1.600

**N-SERIES**

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.  
For products available in the USA, please check our website: [www.nt.dental/en/](http://www.nt.dental/en/)

 **MADE IN  
GERMANY**

**WWW.NT.DENTAL**

## EUROPE

### **NT-Trading GmbH & Co. KG**

G.-Braun-Str. 18  
76187 Karlsruhe  
Germany

**E** [info@nt.dental](mailto:info@nt.dental)

**W** [www.nt.dental](http://www.nt.dental)

## NORTH AMERICA

### **NT-US, Inc.**

132 Pepes Farm Road,  
Unit 3  
Milford, CT 06460  
USA

**E** [info@nt.dental](mailto:info@nt.dental) (general information)

**E** [order-us@nt.dental](mailto:order-us@nt.dental) (for orders)

**W** [www.nt.dental](http://www.nt.dental)

2023\_NT\_Serienbroschüre\_N.EN\_REV001