






OVERVIEW PLATFORMS:



A: over surface

B: over edge



3,5 mm NP



4,3 mm RP



5,0 mm WP



6,0 mm







	Titanium Base (engaged) incl. Abutmentscrew		E 800
	Treatment Base 177 (non engagea)	•	E 82350004 E 82350014
<u>u</u>	Scanbody 3D-Guide® for intra + extra oral scanning		E 9.S3D3.500
	Lab Analog		E 50
	Implant Pick.Up for open-tray with integrated screw		E TR-NP013.5
	Abutment Screw Recommended tightening torques 35 Ncm		E 60
	DIM-ANALOG®		E 5.DIM.350
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A10







	nt-Preform® incl. final Abutment Screw	E 10.Mi3.500.05
W	Scanbody 3D-Guide® for intra + extra oral scanning	E 9.S3D3.500
	nt-Mill Lab Analog for nt-Preform®	E 5.La3.500
	colored milling screw for nt-Preform®	E 6.Sc3.500
	Abutment Screw Recommended tightening torques 35 Ncm	E 60
	DIM-ANALOG®	E 5.DIM.350
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A10
ans 5 a	Abutment Grip for nt-Preform® Holder	W12.100.00
4	Customized Abutment milled by NT-iDent / Not available in the USA	TZ15.TiO.Si1







	2-CONnect®-Abutment Set (straight) incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw	GH 0,5 mm GH 2,5 mm	E 800 S E-2CON 8035002S
4	2-CONnect®-Abutment Male Part, recommended tightening torques 35 Ncm	GH 0,5 mm GH 2,5 mm	E 800 M E-2CON 8035002M
XON	2-CONnect® Scanbody 3D-Guide® for intra + extra oral scanning		2CON 9.S3D1.800
	LOcON COPING For more information, see our LOcON brochure		LOC 852001
	2-CONnect®-Coping Female Part		2CON F-U
	2-CONnect®-Coping-Screw Recommended tightening torques 30 Ncm		KS 61
	2-CONnect®-DIM-ANALOG® for straight Male Part, KS 61		2CON 5.DIM180
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
4	2-CONnect®-Implant pick-up for open-tray with integrated screw		2CON TR-00021.8
.00.			



2CON 5.La1.800

2-CONnect®-lab Analog

for straight Male Parts





	2-CONnect®-Abutment Set (angled) incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw, incl. Male Part screw, mounting aid, angled 20°	A: over surface B: over edge	E-2CON 80350C3S E-2CON 80350A3S
	2-CONnect®-Abutment (angled) incl. 2-CONnect® Male Part screw, mounting aid, angled 20°	A: over surface B: over edge	E-2CON 80350C3M E-2CON 80350A3M
NOX	2-CONnect® Scanbody 3D-Guide® for intra + extra oral scanning		2CON 9.S3D1.600
	2-CONnect®-Coping Female Part		2CON F-U
7	2-CONnect®-Coping-Screw Recommended tightening torques 15 Ncm		KS 62
	Male Part Screw for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		E 6.Ms3.500
	2-CONnect®-DIM-ANALOG® for angled 2-CONnect® Abutment Male Parts		2CON 5.DIM160
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
#	2-CONnect®-Implant pick-up for open-tray with integrated screw		2CON TR-00031.6
1	2-CONnect®-lab Analog for angled 2-CONnect® Abutment Male Parts		2CON 5.La1.600







	Titanium Base (engaged) incl. Abutmentscrew	E 810
		4 mm E 82430004 4 mm E 82430014
u I	Scanbody 3D-Guide® for intra + extra oral scanning	E 9.S3D4.300
	Lab Analog	E 51
	Implant Pick.Up for open-tray with integrated screw	E TR-RP024.3
	Abutment Screw Recommended tightening torques 35 Ncm	E 61
23 A	DIM-ANALOG®	E 5.DIM.430
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A20







	nt-Preform® incl. final Abutment Screw	GH 0,5 mm	E 10.Mi4.300.05
w	Scanbody 3D-Guide® for intra + extra oral scanning		E 9.S3D4.300
	nt-Mill Lab Analog for nt-Preform®		E 5.La4.300
	colored milling screw for nt-Preform®		E 6.Sc4.350
	Abutment Screw Recommended tightening torques 35 Ncm		E 61
	DIM-ANALOG®		E 5.DIM.430
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A20
60138 Ø 8 _{m11} 8	Abutment Grip for nt-Preform® Holder		W12.200.00
4	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1







4	
	H

2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm E 810 S

GH 2,5 mm E-2CON 8043002S



2-CONnect®-Abutment

Male Part, recommended tightening torques 35 $\,\mathrm{Ncm}$

GH 0,5 mm E 810 M

GH 2,5 mm E-2CON 8043002M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.800



LOcON COPING

For more information, see our LOcON brochure

LOC 852001



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 30 Ncm

KS 61



2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 61

2CON 5.DIM180



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00021.8



2-CONnect®-lab Analog

for straight Male Parts

2CON 5.La1.800









	2-CONnect®-Abutment Set (angled) incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw, incl. Male Part screw, mounting aid, angled 20°	A: over surface B: over edge	E-2CON 80430C3S E-2CON 80430A3S
	2-CONnect®-Abutment (angled) incl. 2-CONnect® Male Part screw, mounting aid, angled 20°	A: over surface B: over edge	E-2CON 80430C3M E-2CON 80430A3M
ZCON	2-CONnect® Scanbody 3D-Guide® for intra + extra oral scanning		2CON 9.S3D1.600
	2-CONnect®-Coping Female Part		2CON F-U
9	2-CONnect®-Coping-Screw Recommended tightening torques 15 Ncm		KS 62
	Male Part Screw for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		E 6.Ms4.350
	2-CONnect®-DIM-ANALOG® for angled 2-CONnect® Abutment Male Parts		2CON 5.DIM160
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
#	2-CONnect®-Implant pick-up for open-tray with integrated screw		2CON TR-00031.6
	2-CONnect®-lab Analog for angled 2-CONnect® Abutment Male Parts		2CON 5.La1.600









	Titanium Base (engaged) incl. Abutmentscrew	E 820
	Treatment Base 1477 (from engage a)	4 mm E 82500004 4 mm E 82500014
w I	Scanbody 3D-Guide® for intra + extra oral scanning	E 9.S3D5.000
	Lab Analog	E 52
	Implant Pick.Up for open-tray with integrated screw	E TR-WP035.0
	Abutment Screw Recommended tightening torques 35 Ncm	E 61
	DIM-ANALOG®	E 5.DIM.500
()II	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30







	nt-Preform® incl. final Abutment Screw	GH 0,5 mm	E 10.Mi5.000.05
w	Scanbody 3D-Guide® for intra + extra oral scanning		E 9.S3D5.000
	nt-Mill Lab Analog for nt-Preform®		E 5.La5.000
	colored milling screw for nt-Preform®		E 6.Sc4.350
	Abutment Screw Recommended tightening torques 35 Ncm		E 61
Q 3 0	DIM-ANALOG®		E 5.DIM.500
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
300,00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Abutment Grip for nt-Preform® Holder		W12.300.00
4	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1









2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm $\,$ E 820 S

GH 2,5 mm E-2CON 8050002S



2-CONnect®-Abutment

Male Part, recommended tightening torques 35 Ncm

GH 0,5 mm E 820 M

GH 2,5 mm E-2CON 8050002M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.800



LOcON COPING

For more information, see our LOcON brochure

LOC 852001



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 30 Ncm

KS 61



2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 61

2CON 5.DIM180



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00021.8



2-CONnect®-lab Analog

for straight Male Parts

2CON 5.La1.800









	2-CONnect®-Abutment Set (angled) incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw, incl. Male Part screw, mounting aid, angled 20°	A: over surface B: over edge	E-2CON 80500C3S E-2CON 80500A3S
	2-CONnect®-Abutment (angled) incl. 2-CONnect® Male Part screw , mounting aid, angled 20°	A: over surface B: over edge	E-2CON 80500C3M E-2CON 80500A3M
XOX	2-CONnect® Scanbody 3D-Guide® for intra + extra oral scanning		2CON 9.S3D1.600
	2-CONnect®-Coping Female Part		2CON F-U
	2-CONnect®-Coping-Screw Recommended tightening torques 15 Ncm		KS 62
	Male Part Screw for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		E 6.Ms4.350
	2-CONnect®-DIM-ANALOG® for angled 2-CONnect® Abutment Male Parts		2CON 5.DIM160
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
#	2-CONnect®-Implant pick-up for open-tray with integrated screw		2CON TR-00031.6
1	2-CONnect®-lab Analog for angled 2-CONnect® Abutment Male Parts		2CON 5.La1.600







	Titanium Base (engaged) incl. Abutmentscrew		E 830
	Trainant Base 1474 (non-engagea)	•	E 82600004 E 82600014
w .	Scanbody 3D-Guide® for intra + extra oral scanning		E 9.S3D6.000
1	Lab Analog		E 53
	Abutment Screw Recommended tightening torques: 35 Ncm		E 61
4 - 7	DIM-ANALOG®		E 5.DIM.600
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A60



EUROPE

NT-Trading GmbH & Co. KG

G.-Braun-Str. 18 76187 Karlsruhe Germany

E info@nt.dentalW www.nt.dental

NORTH AMERICA

NT-US, Inc.

132 Pepes Farm Road, Unit 3 Milford, CT 06460 USA

E info@nt.dental (general information)E order-us@nt.dental (for orders)

W www.nt.dental

2023_NT_Serien broschüre_E_EN_REV002

