MIS -SERIES



compatible to: MIS[®] / SEVEN[®]



3,3 mm NP







3,75 / 4,2 mm SP



PRECISION MEETS QUALITY.

OVERVIEW PLATFORMS:









3,3 mm NP MIS[®] SEVEN[®]



D	Titanium Base (engaged) incl. Abutmentscrew	MIS 80330000
		MIS 82330005 MIS 82330015
M	Scanbody 3D-Guide® for intra + extra oral scanning	MIS 9.S3D3.300
	Lab Analog	MIS 5.La3.300
U	Implant Pick.Up for open-tray with integrated screw	MIS TR-00013.3
	Abutment Screw Recommended tightening torques 30 Ncm	MIS 603300
	DIM-ANALOG®	MIS 5.DIM.330
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A10



MIS-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



3,3 mm NP MIS[®] SEVEN[®]





Ď	nt-Preform [®] incl. final Abutment Screw	GH 0,5 mm	MIS 10.Mi3.300.05
Sa Carlor	Scanbody 3D-Guide® for intra + extra oral scanning		MIS 9.S3D3.300
1	nt-Mill Lab Analog for nt-Preform®		MIS 5.La3.300
Ţ	colored milling screw for nt-Preform®		MIS 6.Sc3.300
	Abutment Screw Recommended tightening torques 30 Ncm		MIS 603300
	DIM-ANALOG®		MIS 5.DIM.330
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A10
403.50 0 0m.,4	Abutment Grip for nt-Preform [®] Holder		W 12.100.000
¥	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1



MIS-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



3,3 mm NP MIS[®] SEVEN[®]





	2-CONnect[®]-Abutment Set (straight) incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw	MIS-2CON 8033001S MIS-2CON 8033002S
	2-CONnect[®]-Abutment Male Part, recommended tightening torques 30 Ncm	MIS-2CON 8033001M MIS-2CON 8033002M
NOX	2-CONnect [®] Scanbody 3D-Guide [®] for intra + extra oral scanning	2CON 9.53D1.800
۲	LOcON COPING For more information, see our LOcON brochure	LOC 852001
	2-CONnect [®] -Coping Female Part	2CON F-U
	2-CONnect [®] -Coping-Screw Recommended tightening torques 25 Ncm	KS 61
	2-CONnect®-DIM-ANALOG® for straight Male Part, KS 61	2CON 5.DIM.180
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30
	2-CONnect [®] -Implant pick-up for open-tray with integrated screw	2CON TR-00021.8
1	2-CONnect[®]-lab Analog for straight Male Parts	2CON 5.La1.800



MIS-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



3,3 mm NP MIS® SEVEN®



<u>A</u> Q9	2-CONnect®-Abutment Set (angled) incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw, incl. Male Part screw, mounting aid, angled 20°	GH 2,5 mm	MIS-2CON 80330A3S
N.	2-CONnect[®]-Abutment (angled) incl. 2-CONnect [®] Male Part screw, mounting aid, angled 20°	GH 2,5 mm	MIS-2CON 80330A3M
2004	2-CONnect [®] Scanbody 3D-Guide [®] for intra + extra oral scanning		2CON 9.S3D1.600
	2-CONnect [®] -Coping Female Part		2CON F-U
)	2-CONnect [®] -Coping-Screw Recommended tightening torques 15 Ncm		KS 62
	Male Part Screw for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		MIS 6.Ms3.300
	2-CONnect®-DIM-ANALOG® for angled 2-CONnect® Abutment Male Parts		2CON 5.DIM.160
<u>I</u> II	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
ŧ.	2-CONnect [®] -Implant pick-up for open-tray with integrated screw		2CON TR-00031.6
	2-CONnect[®]-lab Analog for angled 2-CONnect [®] Abutment Male Parts		2CON 5.La1.600



MIS-SERIES Not

Notice: Products indicated with ® and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



3,75 / 4,2 mm SP MIS® SEVEN®



Į.	Titanium Base (engaged) incl. Abutmentscrew	MIS 80374200
	Intallulli Dase IVA (Ion engaged)	MIS 82374205 MIS 82374215
MS.	Scanbody 3D-Guide® for intra + extra oral scanning	MIS 9.S3D3.742
1	Lab Analog	MIS 5.La3.742
	Implant Pick.Up for open-tray with integrated screw	MIS TR-00023.7
	Abutment Screw Recommended tightening torques 30 Ncm	MIS 603750
	DIM-ANALOG®	MIS 5.DIM.374
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A20



MIS-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



3,75 / 4,2 mm SP MIS® SEVEN®





Û	nt-Preform® incl. final Abutment Screw	GH 0,5 mm	MIS 10.Mi3.742.05
SM N	Scanbody 3D-Guide [®] for intra + extra oral scanning		MIS 9.S3D3.742
1	nt-Mill Lab Analog for nt-Preform®		MIS 5.La3.742
	colored milling screw for nt-Preform®		MIS 6.Sc3.750
	Abutment Screw Recommended tightening torques 30 Ncm		MIS 603750
125	DIM-ANALOG®		MIS 5.DIM.374
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A20
401.78 Å 9	Abutment Grip for nt-Preform [®] Holder		W 12.200.000
H	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1



MIS-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



3,75 / 4,2 mm SP MIS® SEVEN®



	2-CONnect[®]-Abutment Set (straight) incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw	MIS-2CON 8037421S MIS-2CON 8037422S
	2-CONnect[®]-Abutment Male Part, recommended tightening torques 30 Ncm	MIS-2CON 8037421M MIS-2CON 8037422M
	2-CONnect [®] Scanbody 3D-Guide [®] for intra + extra oral scanning	2CON 9.53D1.800
٥	LOcON COPING For more information, see our LOcON brochure	LOC 852001
	2-CONnect [®] -Coping Female Part	2CON F-U
	2-CONnect [®] -Coping-Screw Recommended tightening torques 25 Ncm	KS 61
	2-CONnect®-DIM-ANALOG® for straight Male Part, KS 61	2CON 5.DIM.180
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30
1	2-CONnect [®] -Implant pick-up for open-tray with integrated screw	2CON TR-00021.8
1	2-CONnect®-lab Analog for straight Male Parts	2CON 5.La1.800



MIS-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



3,75 / 4,2 mm SP MIS® SEVEN®



<u>a</u> @yI	2-CONnect®-Abutment Set (angled) incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw, G incl. Male Part screw, mounting aid, angled 20°	iH 2,5 mm	MIS-2CON 80374A3S
	2-CONnect[®]-Abutment (angled) incl. 2-CONnect [®] Male Part screw, mounting aid, angled 20°	iH 2,5 mm	MIS-2CON 80374A3M
2004	2-CONnect [®] Scanbody 3D-Guide [®] for intra + extra oral scanning		2CON 9.S3D1.600
	2-CONnect [®] -Coping Female Part		2CON F-U
9	2-CONnect [®] -Coping-Screw Recommended tightening torques 15 Ncm		KS 62
	Male Part Screw for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		MIS 6.Ms3.750
	2-CONnect [®] -DIM-ANALOG [®] for angled 2-CONnect [®] Abutment Male Parts		2CON 5.DIM.160
<u>I</u> II	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
ŧ.	2-CONnect [®] -Implant pick-up for open-tray with integrated screw		2CON TR-00031.6
1	2-CONnect[®]-lab Analog for angled 2-CONnect [®] Abutment Male Parts		2CON 5.La1.600



MIS-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



5,0 mm WP MIS[®] SEVEN[®]



4	Titanium Base (engaged) incl. Abutmentscrew	MIS 80500000
		MIS 82500005 MIS 82500015
88	Scanbody 3D-Guide® for intra + extra oral scanning	MIS 9.S3D5.000
	Lab Analog	MIS 5.La5.000
Ţ.	Implant Pick.Up for open-tray with integrated screw	MIS TR-00035.0
	Abutment Screw Recommended tightening torques 30 Ncm	MIS 603750
	DIM-ANALOG®	MIS 5.DIM.500
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30



MIS-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



5,0 mm WP MIS® SEVEN® ALL DETAILS ONLINE



Ŵ	nt-Preform [®] incl. final Abutment Screw	GH 0,5 mm	MIS 10.Mi5.000.05
SM	Scanbody 3D-Guide® for intra + extra oral scanning		MIS 9.S3D5.000
	nt-Mill Lab Analog for nt-Preform®		MIS 5.L₅5.000
	colored milling screw for nt-Preform®		MIS 6.Sc3.750
	Abutment Screw Recommended tightening torques 30 Ncm		MIS 603750
736	DIM-ANALOG®		MIS 5.DIM.500
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
40050 G G	Abutment Grip for nt-Preform [®] Holder		W 12.300.000
Ŧ	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1



MIS-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



5,0 mm WP MIS® SEVEN®



ATT	2-CONnect[®]-Abutment Set (straight) incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw	MIS-2CON 8050001S MIS-2CON 8050002S
	2-CONnect[®]-Abutment Male Part, recommended tightening torques 30 Ncm	MIS-2CON 8050001M MIS-2CON 8050002M
	2-CONnect [®] Scanbody 3D-Guide [®] for intra + extra oral scanning	2CON 9.S3D1.800
٢	LOcON COPING For more information, see our LOcON brochure	LOC 852001
	2-CONnect[®]-Coping Female Part	2CON F-U
	2-CONnect[®]-Coping-Screw Recommended tightening torques 25 Ncm	KS 61
	2-CONnect®-DIM-ANALOG® for straight Male Part, KS 61	2CON 5.DIM.180
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30
	2-CONnect [®] -Implant pick-up for open-tray with integrated screw	2CON TR-00021.8
1	2-CONnect[®]-lab Analog for straight Male Parts	2CON 5.La1.800



MIS-SERIES

Notice: Products indicated with ® and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



5,0 mm WP MIS® SEVEN®



	2-CONnect[®]-Abutment Set (angled) incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw, incl. Male Part screw, mounting aid, angled 20°	GH 2,5 mm	MIS-2CON 80500A3S
	2-CONnect[®]-Abutment (angled) incl. 2-CONnect [®] Male Part screw, mounting aid, angled 20°	GH 2,5 mm	MIS-2CON 80500A3M
2004	2-CONnect [®] Scanbody 3D-Guide [®] for intra + extra oral scanning		2CON 9.S3D1.600
	2-CONnect [®] -Coping Female Part		2CON F-U
	2-CONnect [®] -Coping-Screw Recommended tightening torques 15 Ncm		KS 62
	Male Part Screw for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		MIS 6.Ms3.750
	2-CONnect®-DIM-ANALOG® for angled 2-CONnect® Abutment Male Parts		2CON 5.DIM.160
<u>I</u> I	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
di.	2-CONnect [®] -Implant pick-up for open-tray with integrated screw		2CON TR-00031.6
1	2-CONnect[®]-lab Analog for angled 2-CONnect [®] Abutment Male Parts		2CON 5.La1.600



MIS-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>

NOTES	



EUROPE

NT-Trading GmbH & Co. KG G.-Braun-Str. 18 76187 Karlsruhe Germany

E info@nt.dentalW www.nt.dental

NORTH AMERICA

NT-US, Inc. 132 Pepes Farm Road, Unit 3 Milford, CT 06460 USA

- **E** info@nt.dental (general information)
- **E** order-us@nt.dental (for orders)
- W www.nt.dental

2023_NT_Serienbroschüre_MIS_EN_REV001

