

SEV -SERIES



compatible to: Dentsply Implants® / Astra Tech Implant System™ EV

4,8 mm

5,4 mm







PRECISION MEETS QUALITY.

3,0 mm 3,6 mm 4,2 mm 4,8 mm 5,4 mm

OVERVIEW PLATFORMS:





3,0 mm Dentsply Implants® / Astra Tech Implant System™ EV



	Titanium Base (engaged) incl. Abutmentscrew	SEV 80300000
		SEV 82300010 SEV 82300020
AS D	Scanbody 3D-Guide® for intra + extra oral scanning	SEV 9.S3D3.000
1	Lab Analog	SEV 5.La3.000
ţ	Implant Pick.Up for open-tray with integrated screw	SEV TR-00013.0
	Abutment Screw Recommended tightening torques 25 Ncm	SEV 603000
	DIM-ANALOG®	SEV 5.DIM.300
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A10





Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





Ŵ	nt-Preform [®] incl. final Abutment Screw	GH 0,5 mm	SEV 10.Mi3.000.05
15	Scanbody 3D-Guide [®] for intra + extra oral scanning		SEV 9.S3D3.000
	nt-Mill Lab Analog for nt-Preform®		SEV 5.La3.000
Ŷ	colored milling screw for nt-Preform®		SEV 6.Sc3.000
0	Abutment Screw Recommended tightening torques 25 Ncm		SEV 603000
	DIM-ANALOG®		SEV 5.DIM.300
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A10
anis 6 a	Abutment Grip for nt-Preform® Holder		W12.100.00
H	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1



SEV-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>







	2-CONnect[®]-Abutment Set (straight) incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw		SEV-2CON 8030001S SEV-2CON 8030002S
00000			
	2-CONnect®-Abutment	GH 0.5 mm	SEV-2CON 8030001M
	Male Part, recommended tightening torques 25 Ncm		SEV-2CON 8030002M
8	2-CONnect® Scanbody 3D-Guide®		
×	for intra + extra oral scanning		2CON 9.S3D1.800
	for intra + extra oral scatting		
	LOcON COPING		
٢	For more information, see our LOcON brochure		LOC 852001
	For more information, see our LOCON brochure		
	2 CONsert® Carine		
A	2-CONnect [®] -Coping Female Part		2CON F-U
~~~	remaie rait		
	2-CONnect [®] -Coping-Screw		
8	Recommended tightening torques 20 Ncm		KS 61
<b>A</b>	2-CONnect®-DIM-ANALOG®		
	for straight Male Part, KS 61		2CON 5.DIM.180
	for straight male fait, NO of		
0.000	Sleeve (for DIM-ANALOG®)		
	for plaster model		DIM 5.XSL.A30
Л			
йц Ц	2-CONnect [®] -Implant pick-up		2CON TR-00021.8
rite	for open-tray with integrated screw		
	2-CONnect®-lab Analog		2CON 5.La1.800
	for straight Male Parts		



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



3,0 mm Dentsply Implants® / Astra Tech Implant System™ EV



	2-CONnect [®] -Abutment Set (angled)		
an Man	incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw,	GH 2,5 mm	SEV-2CON 80300A3S
	incl. Male Part screw, mounting aid, angled 20°		
1	2-CONnect®-Abutment (angled)		
	incl. 2-CONnect® Male Part screw, mounting aid, angled 20°	GH 2,5 mm	SEV-2CON 80300A3M
ZON	2-CONnect [®] Scanbody 3D-Guide [®]		
e	for intra + extra oral scanning		2CON 9.S3D1.600
5m2	2-CONnect [®] -Coping		
	Female Part		2CON F-U
a	2-CONnect [®] -Coping-Screw		
	Recommended tightening torques 15 Ncm		KS 62
CI)	Male Part Screw		
	for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		SEV 6.Ms3.000
	i veni		
	2-CONnect [®] -DIM-ANALOG [®]		2CON 5.DIM160
	for angled 2-CONnect [®] Abutment Male Parts		200113.2111100
0.10	Sleeve (for DIM-ANALOG®)		
	for plaster model		DIM 5.XSL.A30
Л.	2-CONnect [®] -Implant pick-up		
11	for open-tray with integrated screw		2CON TR-00031.6
A	2-CONnect [®] -lab Analog		
	•		2CON 5.La1.600
	for angled 2-CONnect® Abutment Male Parts		2001 J.Lai.000



SEV-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





ALL DETAILS

	Titanium Base (engaged) incl. Abutmentscrew	SEV 80360000
	Italiun Dase IIX (Ion engageu)	n SEV 82360010 n SEV 82360020
425	Scanbody 3D-Guide® for intra + extra oral scanning	SEV 9.S3D3.600
	Lab Analog	SEV 5.La3.600
ţ	Implant Pick.Up for open-tray with integrated screw	SEV TR-00023.6
	Abutment Screw Recommended tightening torques 25 Ncm	SEV 603600
	DIM-ANALOG®	SEV 5.DIM.360
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A10



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





Ŵ	nt-Preform® incl. final Abutment Screw	GH 0,5 mm	SEV 10.Mi3.600.05
AS	Scanbody 3D-Guide® for intra + extra oral scanning		SEV 9.S3D3.600
1	nt-Mill Lab Analog for nt-Preform®		SEV 5.La3.600
1	colored milling screw for nt-Preform®		SEV 6.Sc3.600
9	Abutment Screw Recommended tightening torques 25 Ncm		SEV 603600
	DIM-ANALOG®		SEV 5.DIM.360
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A10
	Abutment Grip for nt-Preform [®] Holder		W12.100.00
4	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>







<b>83</b>	2-CONnect [®] -Abutment Set (straight)		SEV-2CON 8036001S
	incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw	GH 2,5 mm	SEV-2CON 8036002S
Д	2-CONnect [®] -Abutment	GH 0.5 mm	SEV-2CON 8036001M
Y	Ale Part, recommended tightening torques 25 Ncm		SEV-2CON 8036002M
	······································	,	
NOON	2-CONnect® Scanbody 3D-Guide®		
	for intra + extra oral scanning		2CON 9.S3D1.800
	LO _c ON COPING		LOC 852001
٢	For more information, see our LOcON brochure		100 832001
	2-CONnect®-Coping		2CON F-U
	Female Part		
	2-CONnect [®] -Coping-Screw		
	Recommended tightening torques 20 Ncm		KS 61
336	2-CONnect [®] -DIM-ANALOG [®]		2CON 5.DIM.180
ub)	for straight Male Part, KS 61		
0.100	Sleeve (for DIM-ANALOG®)		
	for plaster model		DIM 5.XSL.A30
	2-CONnect [®] -Implant pick-up		
ί <b>β</b>	for open-tray with integrated screw		2CON TR-00021.8
(1)	2-CONnect®-lab Analog		2CON 5.La1.800
	for straight Male Parts		



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





	2-CONnect [®] -Abutment Set (angled)		
£B\$€0	incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw,	GH 2,5 mm	SEV-2CON 80360A3S
<u>8</u> #3 @ # #	incl. Male Part screw, mounting aid, angled 20°		
	2-CONnect [®] -Abutment (angled)		
	incl. 2-CONnect® Male Part screw, mounting aid, angled 20°	GH 2,5 mm	SEV-2CON 80360A3M
100			
ZCON	2-CONnect [®] Scanbody 3D-Guide [®]		2CON 9.S3D1.600
	for intra + extra oral scanning		200119.3301.000
	2 CONneet [®] Caning		
	2-CONnect [®] -Coping Female Part		2CON F-U
EN .	2-CONnect [®] -Coping-Screw		K5 (2)
9	Recommended tightening torques 15 Ncm		KS 62
	Male Part Screw		
	for angled 2-CONnect® Abutment, recommended tightening torques 20		SEV 6.Ms3.600
	Ncm		
	2-CONnect®-DIM-ANALOG®		
I	for angled 2-CONnect [®] Abutment Male Parts		2CON 5.DIM160
1.10	Sleeve (for DIM-ANALOG®)		DIM 5.XSL.A30
. T.I.	for plaster model		DIM 3.A3LA30
ji j	2-CONnect [®] -Implant pick-up		2CON TR-00031.6
MD	for open-tray with integrated screw		
(Å)	2-CONnect®-lab Analog		
	for angled 2-CONnect [®] Abutment Male Parts		2CON 5.La1.600
	0		



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>







	Titanium Base (engaged) incl. Abutmentscrew	SEV 80420000
	Titanium Base NX (non engaged) incl. Abutmentscrew	SEV 82420010 SEV 82420020
ABS	Scanbody 3D-Guide® for intra + extra oral scanning	SEV 9.S3D4.200
1	Lab Analog	SEV 5.La4.200
	Implant Pick.Up for open-tray with integrated screw	SEV TR-00034.2
î	Abutment Screw Recommended tightening torques 25 Ncm	SEV 604200
	DIM-ANALOG®	SEV 5.DIM.420
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A20



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





Ŵ	nt-Preform [®] incl. final Abutment Screw	GH 0,5 mm	SEV 10.Mi4.200.05
A3	Scanbody 3D-Guide® for intra + extra oral scanning		SEV 9.S3D4.200
1	nt-Mill Lab Analog for nt-Preform®		SEV 5.La4.200
	colored milling screw for nt-Preform®		SEV 6.Sc4.200
	Abutment Screw Recommended tightening torques 25 Ncm		SEV 604200
	DIM-ANALOG®		SEV 5.DIM.420
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A20
40139 Š 9	Abutment Grip for nt-Preform [®] Holder		W12.200.00
<b>H</b>	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1





Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





	<b>2-CONnect[®]-Abutment Set (straight)</b> incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw	SEV-2CON 8042001S SEV-2CON 8042002S
	<b>2-CONnect[®]-Abutment</b> Male Part, recommended tightening torques 25 Ncm	SEV-2CON 8042001M SEV-2CON 8042002M
NOX	2-CONnect [®] Scanbody 3D-Guide [®] for intra + extra oral scanning	2CON 9.S3D1.800
٤	LOcON COPING For more information, see our LOcON brochure	LOC 852001
	2-CONnect [®] -Coping Female Part	2CON F-U
	2-CONnect [®] -Coping-Screw Recommended tightening torques 20 Ncm	KS 61
	2-CONnect [®] -DIM-ANALOG [®] for straight Male Part, KS 61	2CON 5.DIM.180
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30
	2-CONnect [®] -Implant pick-up for open-tray with integrated screw	2CON TR-00021.8
1	2-CONnect [®] -lab Analog for straight Male Parts	2CON 5.La1.800



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





	2-CONnect [®] -Abutment Set (angled)		
£8₩0	incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw,	GH 2,5 mm	SEV-2CON 80420A3S
<u>{ #</u> 3 @( U U U	incl. Male Part screw, mounting aid, angled 20°		
	2-CONnect [®] -Abutment (angled)		
	incl. 2-CONnect® Male Part screw, mounting aid, angled 20°	GH 2,5 mm	SEV-2CON 80420A3M
NO	2-CONnect [®] Scanbody 3D-Guide [®]		
R	for intra + extra oral scanning		2CON 9.S3D1.600
(-)	2-CONnect [®] -Coping		
	Female Part		2CON F-U
	2-CONnect [®] -Coping-Screw		
9	Recommended tightening torques 15 Ncm		KS 62
20	Male Part Screw		
	for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		SEV 6.Ms4.200
<b>A</b>			
3.46	2-CONnect [®] -DIM-ANALOG [®]		2CON 5.DIM160
	for angled 2-CONnect [®] Abutment Male Parts		
111	Sleeve (for DIM-ANALOG®)		DIM 5.XSL.A30
<u>ال</u> ال	for plaster model		DIM J.AJL.AJU
A.	2-CONnect [®] -Implant pick-up		
18	for open-tray with integrated screw		2CON TR-00031.6
(h)	2-CONnect [®] -lab Analog		
	for angled 2-CONnect [®] Abutment Male Parts		2CON 5.La1.600



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





	Titanium Base (engaged) incl. Abutmentscrew	SEV 80480000
	Intaliant Base IVA (non engaged)	n SEV 82480010 m SEV 82480020
AR	Scanbody 3D-Guide® for intra + extra oral scanning	SEV 9.53D4.800
	Lab Analog	SEV 5.La4.800
<b>Ö</b>	Implant Pick.Up for open-tray with integrated screw	SEV TR-00044.8
	Abutment Screw Recommended tightening torques 25 Ncm	SEV 604854
23%	DIM-ANALOG®	SEV 5.DIM.480
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30



SEV-SERIES

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





()	nt-Preform® incl. final Abutment Screw	GH 0,5 mm	SEV 10.Mi4.800.05
45	Scanbody 3D-Guide® for intra + extra oral scanning		SEV 9.S3D4.800
	nt-Mill Lab Analog for nt-Preform®		SEV 5.La4.800
Û	colored milling screw for nt-Preform®		SEV 6.Sc4.854
	Abutment Screw Recommended tightening torques: 25 Ncm		SEV 604854
473°	DIM-ANALOG®		SEV 5.DIM.480
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
	Abutment Grip for nt-Preform® Holder		W12.300.00
<b>X</b>	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>







<b>B</b>	2-CONnect®-Abutment Set (straight)		SEV-2CON 8048001S
	incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw	GH 2,5 mm	SEV-2CON 8048002S
Д	2-CONnect [®] -Abutment	GH 0.5 mm	SEV-2CON 8048001M
	Male Part, recommended tightening torques 25 Ncm		SEV-2CON 8048002M
ZCON	2-CONnect® Scanbody 3D-Guide®		2CON 9.S3D1.800
	for intra + extra oral scanning		
	LOCON COPING		
٢	For more information, see our LOcON brochure		LOC 852001
<b>8</b> B	2-CONnect [®] -Coping		2CON F-U
	Female Part		20011-0
	2-CONnect [®] -Coping-Screw Recommended tightening torques 20 Ncm		KS 61
	2-CONnect [®] -DIM-ANALOG [®]		2CON 5.DIM.180
iii	for straight Male Part, KS 61		200103.0111.100
	Sleeve (for DIM-ANALOG®)		DIM 5.XSL.A30
	for plaster model		
	2-CONnect [®] -Implant pick-up		
1	for open-tray with integrated screw		2CON TR-00021.8
(11)			
(1)	2-CONnect®-lab Analog		2CON 5.La1.800
	for straight Male Parts		



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





/ <b>R</b> \$}¥]	<b>2-CONnect®-Abutment Set (angled)</b> incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw, incl. Male Part screw, mounting aid, angled 20°	GH 2,5 mm	SEV-2CON 80480A3S
	<b>2-CONnect[®]-Abutment (angled)</b> incl. 2-CONnect [®] Male Part screw, mounting aid, angled 20°	GH 2,5 mm	SEV-2CON 80480A3M
XCON	2-CONnect [®] Scanbody 3D-Guide [®] for intra + extra oral scanning		2CON 9.S3D1.600
	2-CONnect®-Coping Female Part		2CON F-U
P	2-CONnect [®] -Coping-Screw Recommended tightening torques 15 Ncm		KS 62
	Male Part Screw for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		SEV 6.Ms4.854
	<b>2-CONnect[®]-DIM-ANALOG[®]</b> for angled 2-CONnect [®] Abutment Male Parts		2CON 5.DIM160
<b>U</b>	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
di.	2-CONnect [®] -Implant pick-up for open-tray with integrated screw		2CON TR-00031.6
1	<b>2-CONnect[®]-lab Analog</b> for angled 2-CONnect [®] Abutment Male Parts		2CON 5.La1.600



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>







	Titanium Base (engaged) incl. Abutmentscrew	SEV 80540000
	Intaliant Dase IVA (non engaged)	nm SEV 82540010 nm SEV 82540020
AR CONTRACTOR	Scanbody 3D-Guide® for intra + extra oral scanning	SEV 9.S3D5.400
	Lab Analog	SEV 5.La5.400
	Implant Pick.Up for open-tray with integrated screw	SEV TR-00055.4
	Abutment Screw Recommended tightening torques 25 Ncm	SEV 604854
238 1	DIM-ANALOG®	SEV 5.DIM.540
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>





<b>D</b>	nt-Preform [®] incl. final Abutment Screw	GH 0,5 mm	SEV 10.Mi5.400.05
105	Scanbody 3D-Guide® for intra + extra oral scanning		SEV 9.S3D5.400
	nt-Mill Lab Analog for nt-Preform®		SEV 5.La5.400
Û	colored milling screw for nt-Preform®		SEV 6.Sc4.854
	Abutment Screw Recommended tightening torques 25 Ncm		SEV 604854
- 28 Y	DIM-ANALOG®		SEV 5.DIM.540
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
401.0 G G _{mi} ,4	Abutment Grip for nt-Preform [®] Holder		W12.300.00
<b>4</b>	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>







	<b>2-CONnect[®]-Abutment Set (straight)</b> incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw		SEV-2CON 8054001S SEV-2CON 8054002S
	men 2 Corvincer Coping remain run and 2 Corvincer Coping service		
.A.	2-CONnect®-Abutment	GH 0.5 mm	SEV-2CON 8054001M
	Male Part, recommended tightening torques 25 Ncm		SEV-2CON 8054002M
100		- ,-	
CON	2-CONnect® Scanbody 3D-Guide®		
×	for intra + extra oral scanning		2CON 9.S3D1.800
	LOcON COPING		
۵	For more information, see our LOcON brochure		LOC 852001
	2-CONnect [®] -Coping		
<u>a</u>	Female Part		2CON F-U
	2-CONnect [®] -Coping-Screw Recommended tightening torques 20 Ncm		KS 61
	2-CONnect [®] -DIM-ANALOG [®]		
120			2CON 5.DIM.180
Ŵ	for straight Male Part, KS 61		
0.000	Sleeve (for DIM-ANALOG®)		
	for plaster model		DIM 5.XSL.A30
Л.	2-CONnect [®] -Implant pick-up		
978	for open-tray with integrated screw		2CON TR-00021.8
-th			
(h)	2-CONnect®-lab Analog		
	for straight Male Parts		2CON 5.La1.800
	G		



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>



5,4 mm Dentsply Implants® / Astra Tech Implant System™ EV




<ul> <li>(m)</li> </ul>	2-CONnect [®] -Abutment Set (angled)		
as No	incl. 2-CONnect [®] -Coping Female Part and 2-CONnect [®] -Coping-screw,	GH 2,5 mm	SEV-2CON 80540A3S
5#3 /BN 0 00	incl. Male Part screw, mounting aid, angled 20°		
A	2-CONnect [®] -Abutment (angled)	01105	
	incl. 2-CONnect [®] Male Part screw, mounting aid, angled 20°	GH 2,5 mm	SEV-2CON 80540A3M
CON	2-CONnect [®] Scanbody 3D-Guide [®]		
e	for intra + extra oral scanning		2CON 9.S3D1.600
6 <b>0</b> 3	2-CONnect [®] -Coping		
	Female Part		2CON F-U
( )	2-CONnect [®] -Coping-Screw		
	Recommended tightening torques 15 Ncm		KS 62
210	Male Part Screw		
	for angled 2-CONnect® Abutment, recommended tightening torques 20 Ncm		SEV 6.Ms4.854
ĥ	2-CONnect®-DIM-ANALOG®		
T	for angled 2-CONnect [®] Abutment Male Parts		2CON 5.DIM160
0.100	Sleeve (for DIM-ANALOG®)		
	for plaster model		DIM 5.XSL.A30
.Щ.	2-CONnect [®] -Implant pick-up		
91B	for open-tray with integrated screw		2CON TR-00031.6
Â	2-CONnect [®] -lab Analog		



**SEV-SERIES** 

Notice: Products indicated with [®] and [™] are registered brand names of the respective manufacturer. For products available in the USA, please check our website: <u>www.nt.dental/en/</u>

NOTES	



### EUROPE

NT-Trading GmbH & Co. KG G.-Braun-Str. 18 76187 Karlsruhe Germany

E info@nt.dentalW www.nt.dental

### NORTH AMERICA

NT-US, Inc. 132 Pepes Farm Road, Unit 3 Milford, CT 06460 USA

- **E** info@nt.dental (general information)
- **E** order-us@nt.dental (for orders)
- ${\bf W} \quad {\rm www.nt.dental} \quad$

2023_NT_Serienbroschüre_SEV_EN_REV002

