



## **PRECISION** MEETS QUALITY.

## OVERVIEW PLATFORMS:





3,5 mm NP



4,1 mm RP



5,1 mm WP







	Titanium Base (engaged) incl. Abutmentscrew	K 800
	Titanium Base NX (non engaged) incl. Abutmentscrew  GH 0,5 mm GH 1,6 mm	K82350006 K82350016
×	Scanbody 3D-Guide® for intra + extra oral scanning	K 9.S3D3.500
	Lab Analog	K 50
	Implant Pick Up for open-tray with integrated screw	K TR-00013.5
	Abutment Screw recommended tightening torques 35 Ncm	K 60
	DIM-ANALOG®	K 5.DIM.350
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A10









	nt-Preform® incl. final Abutment Screw	GH 0,5 mm	K 10.Mi3.500.05
×	Scanbody 3D-Guide® for intra + extra oral scanning		K 9.S3D3.500
1	nt-Mill Lab Analog for nt-Preform®		K 5.La3.500
	colored milling screw for nt-Preform®		K 6.Sc3.500
	Abutment Screw recommended tightening torques 35 Ncm		K 60
	DIM-ANALOG®		K 5.DIM.350
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A10
201.0 G 0	Abutment Grip for nt-Preform® Holder		W 12.100.000
4	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1







	Titanium Base (engaged) incl. Abutmentscrew	K 810
	Titanium Base NX (non engaged) incl. Abutmentscrew  GH 0,5 m	m K 82410005 m K 82410015
×	Scanbody 3D-Guide® for intra + extra oral scanning	K 9.S3D4.100
1	Lab Analog	K 51
	Implant Pick Up for open-tray with integrated screw	K TR-00024.1
	Abutment Screw recommended tightening torques 35 Ncm	K 61
	DIM-ANALOG®	K 5.DIM.410
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A10







	nt-Preform® incl. final Abutment Screw	GH 0,5 mm	K 10.Mi4.100.05
×	Scanbody 3D-Guide® for intra + extra oral scanning		K 9.S3D4.100
1	nt-Mill Lab Analog for nt-Preform®		K 5.La4.100
	colored milling screw for nt-Preform®		K 6.Sc4.100
	Abutment Screw recommended tightening torques 35 Ncm		K 61
	DIM-ANALOG®		K 5.DIM.410
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A20
20130 6 8 2	Abutment Grip for nt-Preform® Holder		W 12.200.000
4	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1









	Titanium Base (engaged) incl. Abutmentscrew	K 820
	Titanium Base NX (non engaged) incl. Abutmentscrew  GH 0,6 mm GH 1,6 mm	K 82510006 K 82510016
×	Scanbody 3D-Guide® for intra + extra oral scanning	K 9.S3D5.100
1	Lab Analog	K 52
1	Abutment Screw recommended tightening torques 35 Ncm	K 62
	DIM-ANALOG®	K 5.DIM.510
	Sleeve (for DIM-ANALOG®) for plaster model	DIM 5.XSL.A30







	nt-Preform® incl. final Abutment Screw	GH 0,5 mm	K 10.Mi5.100.05
×	Scanbody 3D-Guide® for intra + extra oral scanning		K 9.S3D5.100
	nt-Mill Lab Analog for nt-Preform®		K 5.La5.100
	colored milling screw for nt-Preform®		K 6.Sc5.100
	Abutment Screw recommended tightening torques 35 Ncm		K 62
	DIM-ANALOG®		K 5.DIM.510
	Sleeve (for DIM-ANALOG®) for plaster model		DIM 5.XSL.A30
200,78 & 3 amile	Abutment Grip for nt-Preform® Holder		W 12.300.000
	Customized Abutment milled by NT-iDent / Not available in the USA		TZ15.TiO.Si1





# **NOTES**



## **EUROPE**

NT-Trading GmbH & Co. KG

G.-Braun-Str. 18 76187 Karlsruhe Germany

E info@nt.dentalW www.nt.dental

## **NORTH AMERICA**

NT-US, Inc.

132 Pepes Farm Road, Unit 3 Milford, CT 06460 USA

E info@nt.dental (general information)E order-us@nt.dental (for orders)

**W** www.nt.dental

2023\_NT\_Serienbroschüre\_K\_EN\_REV001

