

MIC -SERIES



compatible to:
MIS[®], C1[®]




3,3 mm NP



5,0 mm NP




3,75 / 4,2 mm SP



**PRECISION
MEETS QUALITY.**

OVERVIEW PLATFORMS:



A: over surface

B: over edge



3,3 mm NP




3,75 / 4,2 mm SP



5,0 mm NP

 **MADE IN
GERMANY**



3,3 mm NP
MIS® C1®

ALL DETAILS
ONLINE



Titanium Base (engaged)
incl. Abutmentscrew

MIC 80330000



Scanbody 3D-Guide®
for intra + extra oral scanning

MIC 9.S3D3.300



Lab Analog

MIC 5.La3.300



Implant Pick.Up
for open-tray with integrated screw

MIC TR-00013.3



Abutment Screw
Recommended tightening torques 30 Ncm

MIC 603300



DIM-ANALOG®

MIC 5.DIM.330



Sleeve (for DIM-ANALOG®)
for plaster model


DIM 5.XSLA10

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



3,3 mm NP
MIS® C1®

ALL DETAILS
ONLINE



nt-Preform®
incl. final Abutment Screw

GH 0,5 mm MIC 10.Mi3.300.05



Scanbody 3D-Guide®
for intra + extra oral scanning

MIC 9.S3D3.300



nt-Mill Lab Analog
for nt-Preform®

MIC 5.La3.300



colored milling screw
for nt-Preform®

MIC 6.Sc3.300



Abutment Screw
Recommended tightening torques 30 Ncm

MIC 603300



DIM-ANALOG®

MIC 5.DIM.330



Sleeve (for DIM-ANALOG®)
for plaster model

DIM 5.XSLA10



Abutment Grip
for nt-Preform® Holder

W 12.100.000



Customized Abutment
milled by NT-iDent / Not available in the USA


TZ15.TiO.Si1

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



3,3 mm NP
MIS® C1®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm MIC-2CON 8033001S

GH 2,5 mm MIC-2CON 8033002S



2-CONnect®-Abutment

Male Part, recommended tightening torques 30 Ncm

GH 0,5 mm MIC-2CON 8033001M

GH 2,5 mm MIC-2CON 8033002M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.800



LOcON COPING

For more information, see our LOcON brochure

LOC 852001



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 25 Ncm

KS 61



2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 61

2CON 5.DIM.180



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00021.8



2-CONnect®-lab Analog

for straight Male Parts


2CON 5.La1.800

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



3,3 mm NP
MIS® C1®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (angled)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw,
incl. Male Part screw, mounting aid, angled 20°

A: over surface GH 2,5 mm MIC-2CON 80330C3S
B: over edge GH 2,5 mm MIC-2CON 80330A3S



2-CONnect®-Abutment (angled)

incl. 2-CONnect® Male Part screw, mounting aid, angled 20°

A: over surface GH 2,5 mm MIC-2CON 80330C3M
B: over edge GH 2,5 mm MIC-2CON 80330A3M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.600



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 15 Ncm

KS 62



Male Part Screw

for angled 2-CONnect® Abutment, recommended tightening torques 20
Ncm

MIC 6.Ms3.300



2-CONnect®-DIM-ANALOG®

for angled 2-CONnect® Abutment Male Parts

2CON 5.DIM.160



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00031.6



2-CONnect®-lab Analog

for angled 2-CONnect® Abutment Male Parts


2CON 5.La1.600

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

MADE IN
GERMANY

WWW.NT.DENTAL



3,75 / 4,2 mm SP
MIS® C1®

ALL DETAILS
ONLINE



Titanium Base (engaged)
incl. Abutmentscrew

MIC 80374200



Scanbody 3D-Guide®
for intra + extra oral scanning

MIC 9.S3D3.742



Lab Analog

MIC 5.La3.742



Implant Pick.Up
for open-tray with integrated screw

MIC TR-00023.7



Abutment Screw
Recommended tightening torques 30 Ncm

MIC 603750



DIM-ANALOG®

MIC 5.DIM.374



Sleeve (for DIM-ANALOG®)
for plaster model


DIM 5.XSL.A20

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



3,75 / 4,2 mm SP
MIS® C1®

ALL DETAILS
ONLINE



nt-Preform®
incl. final Abutment Screw

GH 0,5 mm MIC 10.Mi3.742.05



Scanbody 3D-Guide®
for intra + extra oral scanning

MIC 9.S3D3.742



nt-Mill Lab Analog
for nt-Preform®

MIC 5.La3.742



colored milling screw
for nt-Preform®

MIC 6.Sc3.750



Abutment Screw
Recommended tightening torques 30 Ncm

MIC 603750



DIM-ANALOG®

MIC 5.DIM.374



Sleeve (for DIM-ANALOG®)
for plaster model

DIM 5.XSLA20



Abutment Grip
for nt-Preform® Holder

W 12.200.000



Customized Abutment
milled by NT-iDent / Not available in the USA


TZ15.TiO.Si1

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



3,75 / 4,2 mm SP
MIS® C1®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm MIC-2CON 8037421S

GH 2,5 mm MIC-2CON 8037422S



2-CONnect®-Abutment

Male Part, recommended tightening torques 30 Ncm

GH 0,5 mm MIC-2CON 8037421M

GH 2,5 mm MIC-2CON 8037422M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.800



LOcON COPING

For more information, see our LOcON brochure

LOC 852001



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 25 Ncm

KS 61



2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 61

2CON 5.DIM.180



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00021.8



2-CONnect®-lab Analog

for straight Male Parts


2CON 5.La1.800

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



3,75 / 4,2 mm SP
MIS® C1®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (angled)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw,
incl. Male Part screw, mounting aid, angled 20°

GH 2,5 mm MIC-2CON 80374A3S



2-CONnect®-Abutment (angled)

incl. 2-CONnect® Male Part screw, mounting aid, angled 20°

GH 2,5 mm MIC-2CON 80374A3M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.600



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 15 Ncm

KS 62



Male Part Screw

for angled 2-CONnect® Abutment, recommended tightening torques 20
Ncm

MIC 6.Ms3.750



2-CONnect®-DIM-ANALOG®

for angled 2-CONnect® Abutment Male Parts

2CON 5.DIM.160



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00031.6



2-CONnect®-lab Analog

for angled 2-CONnect® Abutment Male Parts


2CON 5.La1.600

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 MADE IN
GERMANY

WWW.NT.DENTAL



5,0 mm WP
MIS® C1®

ALL DETAILS
ONLINE



Titanium Base (engaged)
incl. Abutmentscrew

MIC 80500000



Scanbody 3D-Guide®
for intra + extra oral scanning

MIC 9.S3D5.000



Lab Analog

MIC 5.La5.000



Implant Pick.Up
for open-tray with integrated screw

MIC TR-00035.0



Abutment Screw
Recommended tightening torques 30 Ncm

MIC 603750



DIM-ANALOG®

MIC 5.DIM.500



Sleeve (for DIM-ANALOG®)
for plaster model


DIM 5.XSL.A30

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



5,0 mm WP
MIS® C1®

ALL DETAILS
ONLINE



nt-Preform®
incl. final Abutment Screw

GH 0,5 mm MIC 10.Mi5.000.05



Scanbody 3D-Guide®
for intra + extra oral scanning

MIC 9.S3D5.000



nt-Mill Lab Analog
for nt-Preform®

MIC 5.La5.000



colored milling screw
for nt-Preform®

MIC 6.Sc3.750



Abutment Screw
Recommended tightening torques 30 Ncm

MIC 603750



DIM-ANALOG®

MIC 5.DIM.500



Sleeve (for DIM-ANALOG®)
for plaster model

DIM 5.XSLA30



Abutment Grip
for nt-Preform® Holder

W 12.300.000



Customized Abutment
milled by NT-iDent / Not available in the USA


TZ15.TiO.Si1

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



5,0 mm WP
MIS® C1®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (straight)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw

GH 0,5 mm MIC-2CON 8050001S

GH 2,5 mm MIC-2CON 8050002S



2-CONnect®-Abutment

Male Part, recommended tightening torques 30 Ncm

GH 0,5 mm MIC-2CON 8050001M

GH 2,5 mm MIC-2CON 8050002M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.800



LOcON COPING

For more information, see our LOcON brochure

LOC 852001



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 25 Ncm

KS 61



2-CONnect®-DIM-ANALOG®

for straight Male Part, KS 61

2CON 5.DIM.180



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00021.8



2-CONnect®-lab Analog

for straight Male Parts


2CON 5.La1.800

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

 **MADE IN
GERMANY**

WWW.NT.DENTAL



5,0 mm WP
MIS® C1®

ALL DETAILS
ONLINE



2-CONnect®-Abutment Set (angled)

incl. 2-CONnect®-Coping Female Part and 2-CONnect®-Coping-screw,
incl. Male Part screw, mounting aid, angled 20°

GH 2,5 mm MIC-2CON 80500A3S



2-CONnect®-Abutment (angled)

incl. 2-CONnect® Male Part screw, mounting aid, angled 20°

GH 2,5 mm MIC-2CON 80500A3M



2-CONnect® Scanbody 3D-Guide®

for intra + extra oral scanning

2CON 9.S3D1.600



2-CONnect®-Coping

Female Part

2CON F-U



2-CONnect®-Coping-Screw

Recommended tightening torques 15 Ncm

KS 62



Male Part Screw

for angled 2-CONnect® Abutment, recommended tightening torques 20
Ncm

MIC 6.Ms3.750



2-CONnect®-DIM-ANALOG®

for angled 2-CONnect® Abutment Male Parts

2CON 5.DIM.160



Sleeve (for DIM-ANALOG®)

for plaster model

DIM 5.XSL.A30



2-CONnect®-Implant pick-up

for open-tray with integrated screw

2CON TR-00031.6



2-CONnect®-lab Analog

for angled 2-CONnect® Abutment Male Parts

2CON 5.La1.600

MIC-SERIES

Notice: Products indicated with ® and ™ are registered brand names of the respective manufacturer.
For products available in the USA, please check our website: www.nt.dental/en/

MADE IN
GERMANY

WWW.NT.DENTAL

NOTES

[illegible]

EUROPE

NT-Trading GmbH & Co. KG

G.-Braun-Str. 18
76187 Karlsruhe
Germany

E info@nt.dental

W www.nt.dental

NORTH AMERICA

NT-US, Inc.

132 Pepes Farm Road,
Unit 3
Milford, CT 06460
USA

E info@nt.dental (general information)

E order-us@nt.dental (for orders)

W www.nt.dental

2023_NT_Serienbroschüre_MIC_EN_REV001